

**BDL-1611** 

Datavideo Code: 9900-1611

Film Yourself like a PRO with this versatile bundle using Ai in UHD. This set includes simplified control with iCast-mini and autofollow functions from an UHD PTZ camera. Become a succesful creator, producer and presenter with this bundle

Datavideo Code: 9900-1602 BDL-1602

Bundle that consists of 1 HS-1600T with 3x PTC-150TL in a HC-800 case

Bundle that consists of 1 HS-1600T with 3x PTC-140T in a HC-800 case



12199 Euro 11599 USD

BDL-1603 Datavideo Code: 9900-1603

Bundle that consists of 1 HS-3200 with 3x PTC-140 cameras (in an HC-800 case) and one RMC-300A (in an HC-600 case) controller

Datavideo Code: 9900-1601



**11450 Euro** 11999 USD

**BDL-1607** Datavideo Code: 9900-1607

Bundle that consists of 1 Showcast-100 with 3x PTC-280's in a HC-800 case



9650 Euro 9499 USD

Datavideo Code: 9900-1608 **BDL-1608** 

NDI Hybrid Classroom bundle with the iCast 10NDI a hybrid event switcher designed for streaming, recording, and conferencing with Zoom, MS Teams, and other platforms. The TPC-700 simplifies control. Together with 2 NDI camera's and HDMI encoder this bundle provides a variety of applications.



**6900 Euro** 6599 USD

Datavideo Code: 9900-1609 **BDL-1609** 

NDI Hybrid Classroom bundle with the iCast 10NDI a hybrid event switcher designed for streaming, recording, and conferencing with Zoom, MS Teams, and other platforms. The TPC-700 simplifies control. Together with one tracking and one regular PTZ camera this bundle provides a variety of applications.



**9650 Euro** 9350 USD



CAP-1 SDI to USB 3.0 (UVC) Capture (Input) device, supports SDI input with loop function and embedded or separate audio (switchable)



**355 Euro** 329 USD

CAP-2

Datavideo Code: 2510-8520

CAP-2 HDMI to USB 3.0 Capture Box is an HDMI-USB Capturing device, which supports up to 1080p50/60.



**305 Euro** 279 USD

BC-15P

Datavideo Code: 7000-3520

POV Camera with a 1/1.8" CMOS Sensor, 4K 50/59.94/60p output, H.264 streaming output, including standard & eSports lens and body or App control



**945 Euro** 899 USD

**BC-15C** 

Datavideo Code: 7000-3525

POV Camera with a 1/1.8" CMOS Sensor, 4K 50/59.94/60p output, H.264 streaming output, body or App control. (without CS mount lens)



**915 Euro** 

**BC-50** 

Datavideo Code: 7000-3450

The BC-50 is a cost-effective block camera with 20x optical and 16x digital zoom. Support PoE Technology. The video output is 3G/HD-SDI, it also supports VISCA/Pelco-D/Pelco-C protocols for control via RS-485. The BC-50 can deliver the compressed video signal H.264/H.265/MJPEG. The BC-50 Block Camera is a small HD camera with sturdy and durable metal case can be used in different types of environments.



**925 Euro** 879 USD

PTR-10MKII

Datavideo Code: 7000-2051

Professional Pan/Tilt head for any camera up to 4kg. Providing HDMI/SDI connectivity. Controlled by Datavideo's DVIP, VISCA or IR, Pan: 340  $^{\circ}$ /Tilt  $\pm$  45 $^{\circ}$ , 50 Presets can be stored



**2345 Euro** 2199 USD

PTR-10TMKII

Datavideo Code: 7000-2056

Professional Pan/Tilt head for any camera up to 4kg. Providing HDMI/SDI & HDBaseT connectivity. Controlled by Datavideo's DVIP, VISCA or IR, Pan: 340 °/Tilt  $\pm$  45°, 50 Presets can be stored.



**2875 Euro** 2699 USD

UHD/4K

**2665 Euro** 2499 USD

PTR-15T

Datavideo Code: 7000-2057

Datavideo Code: 7000-2052

Professional Pan/Tilt head for any camera up to 4kg. Providing HDMI/SDI & HDBaseT connectivity. Controlled by Datavideo's DVIP, VISCA or IR, Pan: 340  $^{\circ}$ /Tilt  $\pm$  45 $^{\circ}$ , 50 Presets can be stored. UHD/4K



3150 Euro

ZEK-2

Datavideo Code: 7000-2061

Rotary encoder for Lens preset function PTR-10MKII and the PTR-10TMKII to be used with nonmotorized lenses



**375 Euro** 349 USD

**MB-7** 

Datavideo Code: 7000-2062

Long arm for PTR



115 Euro

**MB-8** 

Datavideo Code: 7000-2063

Larger camera mount for PTR



**105 Euro** 95 USD

CM-10

Datavideo Code: 2202-0211

Rugged ceiling mount for PTR-10, consists of 4 metal prepressed plates, two for mounting purpose and two as an L-shaped bracked to be able to fit the camera (wider camera mount) Please check our website



WM-11

Datavideo Code: 2202-0210

Wall mount for PTR-10 (Pan/Tilt head for block cameras)



Stand alone switchers

Stand alone switchers

and alone switchers

Stand alone switchers

and alone switchers

Datavideo Code: 2200-4011

Datavideo Code: 2200-4010

Datavideo Code: 7000-2070

2 stage Carbon Fiber Video Tripod with; max. payload of 6kg a bowl diameter of 75mm, fluid head, pan bar and center spreader, Including soft bag

Panasonic interface control box to interface between PTR-10 and Panasonic camera's



iCast-mini

4K Dual Channel Presentation Switcher, with camera control, extended audio features and UVC connectivity to connect to Zoom, Teams and other platforms.



**1815 Euro** 1699 USD

iCast-10NDI

iCAST 10NDI is a new and innovative live production unit that houses a multi format switcher, camera controller, recorder and streaming encoder in one box. A variety of inputs can be connected to iCAST 10NDI to allow you to create an eye catching presentation. Supporting camera control and formats like SRT, RTSP, RTMP, NDI and HDMI ensures maximum connectivity.



2835 Euro

Showcast-100

Datavideo Code: 2200-4050

Datavideo Code: 2200-5101

Datavideo Code: 2200-6100

4K 4-Channel Touch Panel Switcher that features 7 major functions. It can switch video, overlay text and graphics, control cameras, live stream, record, and mix audio all from a single unit. Similar to a tablet, the 14-inch touch panel allows easy and intuitive access to switcher functions.



**4750 Euro** 4399 USD

SE-500HD

The datavideo SE-500HD is a small, cost-effective, HD/SD digital video switcher with easy-to-use professional features. It offers 4 HDMI inputs and 2 HDMI outputs, support video formats up to

Full HD 1080P, an audio mixer with microphone and unbalance RCA audio inputs, RCA audio outputs, more features including Luma Keyer, PIP, WIPE Generator and Tally.



1285 Euro

1199 USD

SE-650

4 Input Digital Video Switcher (Unibody), easy to learn and use. Includes 2 HD-SDI and 2 HDMI Inputs, 2 RCA Inputs for audio embedding with audio mixing feature. Built-in multiviewer, Supporting Linear/Luma Key, Wipe, Mix & Cut Transitions, 1 DSK, Full M/E Preview function,

Frame store, Dedicated Stills Buffer for 24 Images. XPT (Cross Point Assignment, Tally output, **GPI Output)** 



1285 Euro 1199 USD Stand alone switchers

SE-1200MU Datavideo Code: 2200-1200

6 Input HD Digital Video Switcher (1RU mainunit, GUI as UI) with: (4x HD-SDI & 2x HDMI), 2x HD-SDI & 2x HDMI Outputs (Can be assigned as PVW/PGM/Clean/MV), 2 Upstream Keyers, supporting Chroma Key & Linear/Luma Key, 2 DSK's, 1 PIP, Wipe, Mix & Cut Transitions, Full M/E Preview function, Up to 24 images Still-store, Xpoint assignment, PC/Tablet control, built-in Multiviewer also in MJPEG (streaming) & Tally/GPI, 2 XLR Inputs for audio embedding



**1605 Euro** 1499 USD

RMC-260 Datavideo Code: 2205-1750

Hardware control panel for SE-1200MU videoswitcher (Serial control)



**645 Euro** 599 USD

**SE-3200** Datavideo Code: **2200-3030** 

12 input Digital Video Switcher (Splitunit) with: 12 Inputs (8 x SDI & 4 x HDMI), 9 Outputs (6 x SDI and 3 x HDMI), 4 Keying inputs for chromakey, linear and luma as well as PiP, 2 DSK's for linear and luma keys, 2 static or animated logos, WIPE, MIX, DVE and CUT transitions, 32 WIPE patterns, supports stinger transition and any input can be used as a frame store



**5850 Euro** 5499 USD

**SE-4000** Datavideo Code: **2200-4000** 

UHD Videoswitcher with 8 live channel: 8x 12G-SDI +4x HDMI (select 8 from 12); 7 outputs: 4x 12G-SDI +3x HDMI); 5" Touch Panel controlling; up/down scaling on each input; 2 x Chromakey, 2 x DSK & 4 x PIP; XPT (Cross Point); Wipe, Mix, DVE, Cut and Stinger Transitions



**8550 Euro** 7999 USD

HS-1300 Datavideo Code: 2200-2016

Portable production unit, designed as a suitcase providing; HD/SD Digital video switcher with XPT assignments, FTB, Mix, Cut, Wipe effects, PiP & 2x downstream keyer, 6x HD-SDI or 4x HD-SDI +2x HDMI Inputs, 1x HD-SDI & 1x HDMI (XPT/AUX/PVW/PGM) outputsTally/GPI output. With a built in streaming encoder/recorder



**4250 Euro** 3999 USD

HS-1600T MKII Datavideo Code: 2200-2019

Portable production unit, designed as a suitcase providing; Video switcher including Mix, Cut, Wipe effects, 3x HDBaseT, 1x HDMI Inputs, Built in Quad split & Camera controller, providing PoE on HDBaseT line, with a built-in streaming encoder/recorder



**5950 Euro** 

**HS-3200** Datavideo Code: **2200-2070** 

Portable Production unit, designed as a suitcase providing; 12 inputs(8 x SDI and 4 x HDMI), 9 Outputs (6 x SDI and 3 x HDMI), Simultaneous Live Streaming & Recording, 4 Keys for chromakey, linear and luma keys as well as PiP, 2 DSK's for linear and luma keys 2 static or animated logos, WIPE, MIX, DVE and CUT transitions, 32 WIPE patterns, any input (1-12) can be used as a frame store



**UHD Tools** 

11800 Euro 10999 USD

Datavideo Code: 2205-1900 **TPC-700** 

8 Channel UHD (12G-SDI + 4x HDMI) with UHD 4K50/60P (select 8 from 12)

outputs with AUX assignment, 4K Streaming and Recording

TPC-700 is a multifunctional touch panel controller for Datavideo peripherals. This controller will receive multiple firmware versions that can control Datavideo hardware in various scenarios. The debut firmware will control the SE-3200 switcher in a corporate presentation

17" Panel with UHD 4K (3840 x 2160),5" Touch Panel controlling, one button one function, 5

4 x USK, 2 x DSK, 2 x PIP, XPT (Cross Point), Wipe, Mix, DVE, Cut and Stinger Transitions

Datavideo Code: 2200-2075



Datavideo Code: 2205-1805 RMC-2P

Joystick controller for 3 Cameras, optionally with TPC-700 through USB or stand alone using IP



**265 Euro** 249 USD

**DVK-400** Datavideo Code: 2210-1030

4K Real-time chroma keyer with 4:4:4:4 10-bit internal processing for any live virtual production, HDMI and SDI outputs, store/recall: 3 sets of instant switchable parameters (by Control s/w), Advanced algorithm can present transparency, smoke, reflection and shadow in detail, easy operation and control via LAN connection to laptop



2385 Euro

Datavideo Code: 2210-1031 **DVK-401** 

4K Real-time chroma keyer with 4:4:4:4 10-bit internal processing for any live virtual production, HDMI and SDI outputs, store/recall: 3 sets of instant switchable parameters (by Control s/w), Advanced algorithm can present transparency, smoke, reflection and shadow in detail, easy control with the TPC-700 included



**2695 Euro** 

**KMU-100** Datavideo Code: 4000-1100

4K Dual Channel MultiSource generator providing up/down/cross and scaling, HDMI 2.0, 12G, 6G and 4x 3G inputs, This unit enables the user to get 4 dynamic "cut-outs" with zoom and motion features whereby each "cut-out" has it's own 3Gbps output (Virtual production with region of interest)



3550 Euro

Datavideo Code: 4000-1200 **KMU-200** 

4K Single Channel MultiSource Production Unit with; All-In-One Video Switching, Streaming, Audio Mixing and Camera Control (HDMI I/O)



ヨ

PTZ Cameras

PTZ Cameras

PTZ Cameras

PTZ Cameras

Datavideo Code: 4000-1300

4K Single Channel MultiSource Production Unit with; All-In-One Video Switching, Streaming, Audio Mixing and Camera Control (HDMI I/O) and PTZ control



**3850 Euro** 3599 USD

**RMC-185** 

Datavideo Code: 2205-1525

Remote control console for KMU-100 including functions of quad/multiview monitoring, camera movement (Pan/Tilt/Zoom) 4 Main presets are available storing all parameters. Start/Stop/ Reset function for pre-defined linear motion paths/channel, a full KMU-100 (2 4K Channel unit) can be controlled with a single RMC-185



PTC-140

Datavideo Code: 7000-3060

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols



**L045 Euro** 

**PTC-140W** 

Datavideo Code: 7000-3063

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols White version



**L045 Euro** 

**PTC-140T** 

Datavideo Code: 7000-3061

Full HD Pan/Tilt camera (HDBaseT) with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols



1045 Euro

PTC-140TW

Datavideo Code: 7000-3064

Full HD Pan/Tilt camera (HDBaseT) with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols, White version



1045 Euro

PTC-140NDI

Datavideo Code: 7000-3066

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & NDI-HX IO



1045 Euro

PTZ Camera

Datavideo Code: 7000-3067

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & NDI-HX IO, White version



**1045 Euro** 999 USD

Datavideo Code: 7000-3070 PTC-145

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & autotracking silhouet



**1365 Euro** 

Datavideo Code: 7000-3071 **PTC-145W** 

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & autotracking silhouet (In color White)



**1365 Euro** 

PTC-145NDI

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & autotracking silhouet with NDI

Datavideo Code: 7000-3072



**1675 Euro** 

Datavideo Code: 7000-3073 PTC-145NDIW

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & autotracking silhouet with NDI(In color White)



1675 Euro

Datavideo Code: 7000-3074 **PTC-145T** 

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & autotracking silhouet with HDBaseT



1575 Euro

PTC-145TW

Full HD Pan/Tilt camera with 1/2.8 inch CMOS sensor 20x Opt. Zoom, 10xDig. Zoom H.264/H.265 encoding for streamingSupports RTSP, RTMP protocols & autotracking silhouet with HDBaseT(In color White)



1575 Euro 1499 USD

Datavideo Code: 7000-3075

Datavideo Code: 7000-3020 PTC-150

Full HD PTZ camera (Black) with 1/2.8" HD 2.0 MPixels progressive MOS sensor, 30x optical zoom, Pan: 270deg/Tilt:+90deg, -20deg, DNR Function, HD-SDI + CVBS + HDMI synchronously output's, Green/Red Tally LED, Control thru IR/RF/ RS-422/DVIP Supports SONY VISCA/DVIP, with mounting bracket and Flip/Mirror function (& Day/Night function)



1775 Euro

Datavideo Code: 7000-3032 PTC-150TL

Full HD (HDBaseT) PTZ camera (Black) with 1/2.8" HD 2.0 MPixels progressive MOS sensor, 30x optical zoom, Pan: 270deg/Tilt:+90deg, -20deg, DNR Function, HD-SDI + CVBS + HDMI synchronously output's, Green/Red Tally LED, Control thru IR/RF/ RS-422/DVIP Supports SONY VISCA/DVIP, with mounting bracket and Flip/Mirror function (& Day/Night function), WITHOUT 48V PSU & HBT-11



1985 Euro

Datavideo Code: 7000-3080 PTC-280

4K(UHD) Pan/Tilt Camera with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps ~ 50Mbps ) Optional NDI|Hx / PoE



**L775 Euro** 1699 USD

**PTC-280W** Datavideo Code: 7000-3081

4K(UHD) Pan/Tilt Camera in White with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom, 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps ~ 50Mbps ) Optional NDI|Hx / PoE



1775 Euro

Datavideo Code: 7000-3082 PTC-280NDI

4K(UHD) Pan/Tilt Camera with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom, 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps ~ 50Mbps ) With NDI|Hx / PoE



2095 Euro

Datavideo Code: 7000-3083 PTC-280NDIW

4K(UHD) Pan/Tilt Camera in WHITE with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom, 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps ~ 50Mbps ) With NDI|Hx / PoE



2095 Euro

Datavideo Code: 7000-3085 PTC-285

4K(UHD) Pan/Tilt Camera with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps ~ 50Mbps ) Optional NDI|Hx / PoE, this camera is equiped with autotracking features



PTZ Cameras

Datavideo Code: 7000-3086

4K(UHD) Pan/Tilt Camera with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps  $\sim$  50Mbps ) Optional NDI|Hx / PoE, this camera is equiped with autotracking features (color White)



**2095 Euro** 1999 USD

PTC-285NDI Datavideo Code: 7000-3084

4K(UHD) Pan/Tilt Camera with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps  $\sim$  50Mbps ) Equiped with NDI|Hx / PoE, this camera is equiped with autotracking features



**2405 Euro** 2299 USD

PTC-285NDIW Datavideo Code: 7000-3089

4K(UHD) Pan/Tilt Camera with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom 3G-SDI x1, HDMI 2.0 x1 (4K 50/59.94/60p) output, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps  $\sim$  50Mbps ) Equiped with NDI|Hx / PoE, this camera is equiped with autotracking features (color white)



**2405 Euro** 2299 USD

PTC-285T Datavideo Code: 7000-3087

4K(UHD) Pan/Tilt Camera with 1/2.5" CMOS, 12x Optical Zoom, 16x Digital Zoom, HDbaseT interface, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate: 32Kbps  $\sim$  50Mbps ) Optional NDI|Hx / PoE, this camera is equiped with autotracking features



**2615 Euro** 2499 USD

PTC-285TW Datavideo Code: 7000-3088

4K(UHD) Pan/Tilt Camera with 1/2.5'' CMOS, 12x Optical Zoom, 16x Digital Zoom, HDbaseT interface, HEVC and H.264 encoding supporting dual stream (4K30p + 720p30, bitrate:  $32Kbps \sim 50Mbps$ ) Optional NDI|Hx / PoE, this camera is equiped with autotracking features. (Color: White)



**2615 Euro** 2499 USD

PTC-305 Datavideo Code: 7000-3101

4K50/60p Auto tracking PTZ camera | RS-422 serial port, or IP remote control via DVIP or Sony VISCA over IP. Supports dual streaming output, 3G-SDI and 4K HDMI output. Stream easily to Facebook (RTMPS), YouTube and dvCloud



**2305 Euro** 2199 USD

PTC-305W Datavideo Code: 7000-3102

4K50/60p Auto tracking PTZ camera | RS-422 serial port, or IP remote control via DVIP or Sony VISCA over IP. Supports dual streaming output, 3G-SDI and 4K HDMI output. Stream easily to Facebook (RTMPS), YouTube and dvCloud (White housing)



PTZ Cameras

PTZ Cameras

PTZ Cameras

PTZ Cameras

2825 Euro

## PTC-305TW

Datavideo Code: 7000-3104

4K50/60p Auto tracking PTZ camera | RS-422 serial port, or IP remote control via DVIP or Sony VISCA over IP. Supports dual streaming output, 3G-SDI and 4K HDMI and HDBaseT output.

Stream easily to Facebook (RTMPS), YouTube and dvCloud

4K50/60p Auto tracking PTZ camera | RS-422 serial port, or IP remote control via DVIP or Sony VISCA over IP. Supports dual streaming output, 3G-SDI and 4K HDMI and HDBaseT output. Stream easily to Facebook (RTMPS), YouTube and dvCloud (White housing)



2825 Euro

## PTC-305NDI

Datavideo Code: 7000-3105

4K50/60p Auto tracking PTZ camera | RS-422 serial port, or IP remote control via DVIP or Sony VISCA over IP. Supports dual streaming output, 3G-SDI and 4K HDMI and NDI output. Stream easily to Facebook (RTMPS), YouTube and dvCloud



**2615 Euro** 2499 USD

## PTC-305NDIW

Datavideo Code: 7000-3106

Datavideo Code: 7000-3103

4K50/60p Auto tracking PTZ camera | RS-422 serial port, or IP remote control via DVIP or Sony VISCA over IP. Supports dual streaming output, 3G-SDI and 4K HDMI and NDI output. Stream easily to Facebook (RTMPS), YouTube and dvCloud (White housing)



**2615 Euro** 

### AD-PoE

Datavideo Code: 2205-1301

Power over ethernet breakout cable IEEE802.3AF/AT (12 Volt) Can be used with PTZ cameras and TP-700/800/900 series prompters



## WM-1

Datavideo Code: 2202-0105

Wall mount for PTZ camera (Black)



115 Euro

# WM-1W

Datavideo Code: 2202-0115

Wall mount for PTZ camera (White)



#### Datavideo Code: 2202-0220 D2-BASE-EXT

Camera housing for the PTC series cameras with extendended lens. Protect your PTC series cameras with a durable housing from environment and theft. Fits all Datavideo PTC series cameras.



**635 Euro** 589 USD

Datavideo Code: 2202-0221 **D2-BASE-HEAT** 

Camera housing for the PTC series cameras with extendended lens and thermostically controlled heater. (35 Watt) Protect your PTC series cameras with a durable housing from environment and theft. Fits all Datavideo PTC series cameras.



1055 Euro

D2-HEAT-POE

Camera housing for the PTC series cameras with extendended lens. Protect your PTC series cameras with a durable housing from environment and theft. Fits all Datavideo PTC series cameras. PoE enabled for heating element of 15 Watt max.

Datavideo Code: 2202-0223

Datavideo Code: 2202-0222

Datavideo Code: 2202-0005

Datavideo Code: 2202-0006

Datavideo Code: 2202-0011



1155 Euro 1075 USD

**BR-MPM-1** 

Pole mount bracket for the D2-BASE-150 camera housing for the PTC series cameras



**195 Euro** 179 USD

HBT-5

HDMI to HDBaseT video converter up to 60 Meter FullHD and 35 Meter UHD(30FPS)



HBT-6

**HDBaseT** to **HDMI** converter



**HBT-11** 

HDBaseT Receiver Box receives HDBaseT signals to convert into 4Kx2K video, audio, DVIP ethernet control and RS-422/232 by a single Cat.5e/6/6a/7.



475 Euro

Datavideo Code: 2202-0012 **HBT-12** 

HDBaseT Receiver Box receives HDBaseT signals up to UHD/4K 25/30FPS, long disctance with RS-232/422 and DVIP, supports PoE 60 Watts



**575 Euro** 549 USD

Datavideo Code: 2202-0015 **HBT-15** 

The HBT-15 is an HDBaseT Transmitter designed to interface between transmitting and receiving HDBaseT devices. The HBT-15 Transmitter transmits up to 4K 2160P image quality video up to 100m.



**675 Euro** 649 USD

Datavideo Code: 2202-0016 **HBT-16** 

The HBT-16 is an HDBaseT receiver is designed to accept up to 4K 2160P image quality video.Transmits video, audio, DVIP control, RS-422/232 control and PoE+ over a single Cat 7



**735 Euro** 699 USD

Datavideo Code: 2202-0018 **HBT-18** 

HDBase-T receiver for use with PTR-15T



**945 Euro** 899 USD

Datavideo Code: 2202-0030 **HBT-30** 

The HBT-30 supplies power, Ultra HD 4K50/60 video signal, and camera control up to 3 devices up to 100 meters distance. It simultaneously outputs HDMI, RS-422 and IP control signals



2305 Euro

Datavideo Code: 2202-0050 **HBT-50** 

4 Channel HDBaseT receiver box (3G SDI)



2875 Euro

Datavideo Code: 2205-1501 RMC-180MKII

PTZ Camera Control Unit for up-to 4 Pan, Tilt & Zoom Cameras, 50 Presets/camera for position/ zoom/focus and video calibration parameters, Control thru standard CAT-5/6 cable upto 100 meter, Supports VISCA over RS-422 (point-to-point), Compatible with Datavideo's switcher tally indicators



Datavideo Code: 2205-1801

The RMC-300A is a multi-functional remote control unit, controls up to 24 Datavideo PTZ/block cameras (DVIP) or mixed control with serial with up to 8 cameras, 14 presets/camera, with a built in control panel (touch) Control via Ethernet, also controls SE-3200 and HDR-80/90



**1385 Euro** 1299 USD

Datavideo Code: 2600-0219 HDR-2

4K H.265 recorder Supports up to UHD 4K (3840 x 2160) HDMI 2.0 input, output and loop-thru output, 2" LCD for setting and monitoring Record on SD card, Balance XLR in x2 + RCA in x 2, Support DVIP and RS-232 control, GPI input



1325 Euro

**HDR-80** 

HDR-80 ProRes Video Recorder (Desktop), Large 5" LCD Touch screen for operating and monitoring, 10-Bit 4:2:2 ProRes, Supports UHD 12G SDI I/O & 4K HDMI I/O with embedded audio, Records on two 2.5" SSDs, Full HD, 4 x 3G ISO Recording, 2 x XLR Analogue Audio I/O, Time code & Close Captioning support, DVIP (Ethernet) and RS-232 control, GPI (Record Start/ Stop), Black burst and Tri-Level Sync Reference

Datavideo Code: 2600-0280



**2915 Euro** 2649 USD

Datavideo Code: 2600-0290 **HDR-90** 

HDR-90 ProRes Video Recorder (1 RU), Large 5" LCD Touch screen for operating and monitoring, 10-Bit 4:2:2 ProRes, Supports UHD 12G SDI I/O & 4K HDMI I/O with embedded audio, Records on two 2.5" SSDs, Full HD, 4 x 3G ISO Recording, 2 x XLR Analogue Audio I/O, Time code & Close Captioning support, DVIP (Ethernet) and RS-232 control, GPI (Record Start/Stop), Black burst and Tri-Level Sync Reference



**2915 Euro** 

Datavideo Code: 2600-0281 **RP-79** 

2U Racktray for HDR-80



**105 Euro** 99 USD

Datavideo Code: 6600-0479 SATA-1TB

SSD Drive, 1TB SAMSUNG Recommended for any type of HDR recorder



**165 Euro** 

**HE-x BAG** Datavideo Code: 6600-0504

Spare carry case for HE-1/HE-3 hardrive carrier.



10 Euro

HE-3 Datavideo Code: 6600-0506

Spare hardrive carrier for HDR 60 -70 , DN-600-700 etc. (HDD not included)  $\,$ 



**59 Euro** 55 USD

HE-4

Spare SSD carrier for NVS-40



10 Euro

NVS-35

An H.264 video streaming encoder which is able to configure two different bitrate for recording and streaming simultaneously. Supports SDI and HDMI input, and external XLR balanced audio input

Datavideo Code: 6600-0507

Datavideo Code: 2510-8218

Datavideo Code: 2510-8213

Datavideo Code: 2510-8231

Datavideo Code: 2510-8236

Datavideo Code: 2510-8232



**1045 Euro** 999 USD

NVS-40

4 Channel HDMI input encoder, 2 streams/ channel. Up to 30Mb/channel with in-system GUI and program output (Quad split)



**2095 Euro** 

**NVD-30MKII** 

NVD-30 is a H.264 stream decoder that works in various ways. It can decode a point-to-(multi) point stream from any streaming platform, it can decode Youtube/Vimeo/Other CDN videos and it can function as a set-top-box for an IPTV network. HDMI output and SRT decoding.



**555 Euro** 529 USD

**NVD-35MKII** 

NVD-35 is a H.264 stream decoder that works in various ways. It can decode a point-to-(multi) point stream from any streaming platform, it can decode Youtube/Vimeo/Other CDN videos and it can function as a set-top-box for an IPTV network. SDI output and SRT decoding



735 EUro

NVD-40

UHD/4K, H.264/H.265 IP video decoder with HDMI, composite video, and analog audio outputs



**1045 Euro** 999 USD

Datavideo Code: 2510-8270 **BB-1KIT** 

Control interface for DVCloud SRT protocol driven streaming solution (e.g. Control devices through DVCloud like PTZ cameras, switchers etc...), 2 BB-1's in one kit

UHD/4K, H.264/H.265 IP video decoder with SDI, composite video, and analog audio outputs

Datavideo Code: 2510-8233

Datavideo Code: 2510-8271

Datavideo Code: 2510-8331

Datavideo Code: 2510-8332

Datavideo Code: 2510-8333

Datavideo Code: 2510-8341



BB-1

Control interface for DVCloud SRT protocol driven streaming solution (e.g. Control devices through DVCloud like PTZ cameras, switchers etc...), single unit



**245 Euro** 235 USD

**DVCloud1ES** 

For our DVCloud services please check: DVCloud.tv, 1 Year Essential subscribtion



**525 Euro** 499 USD

**DVCloud2ES** 

For our DVCloud services please check: DVCloud.tv, 2 Year Essential subscribtion



**1045 Euro** 998 USD

**DVCloud3ES** 

For our DVCloud services please check: DVCloud.tv, 3 Year Essential subscribtion



**DVCloud1PS** 

For our DVCloud services please check: DVCloud.tv, 1 Year Professional subscribtion



1045 Euro

Datavideo Code: 2510-8342

For our DVCloud services please check: DVCloud.tv, 2 Year Professional subscribtion

2 YEAR Professional



**2095 Euro** 1998 USD

Datavideo Code: 2510-8343 **DVCloud3PS** 

For our DVCloud services please check: DVCloud.tv, 3 Year Professional subscribtion

3 YEAR Professional



**3150 Euro** 2997 USD

MS-3200

MS-3200 Complete Mobile Studio

Datavideo Code: 2200-3230



**19500 Euro** 18139 USD

Datavideo Code: 2200-3201 **OBV-3200** 

HD 12 Channel Portable production unit (2-racks), with SE-3200. This unit is available in a basic setup, with Datavideos ITC-300, HDR-90, AD-200, NVS-35, 2x TLM-170VM. This system can also be customized. For detailed specifications and pricing on a custom setup please contact Datavideo Europe



36100 Euro 33749 USD

Datavideo Code: 2400-5610 TTL-100

Throught the Lens Kit for 7" Monitor. A "through the lens" monitor preview solution. Can be used with web conferencing software such as Zoom for remote interviews, allows you to see your guest while looking directly into the centre of the camera lens or for online presentations / webinars.



Datavideo Code: 2400-5021 TP-300MKII

TP-300 Universal Prompter suitable for most camcorders and Tablets from 7" -10" W/O REMOTE Tablet can be mounted either in the traditional way using the included camera and tripod support rails, hood and beam splitter glass, or under the lens for use with retro-reflective light. Suitable for most cameras. Software free for download in the App store. REMOTE CONTROL NOT **INLCLUDED** support talent monitor



Datavideo Code: 2400-5040 **TP-500** 

TP-500 7"/ DSLR Prompter W/O Remote control 18 mm Rail Adjustable Mounting system included- ideal for DSLR cameras Adjustable mount to hold Android & Apple tablets from 7" to 10" Tablet can also mounted under the lens for use with retro reflective light. REMOTE CONTROL NOT INLCLUDED Choose a Wired, wireless or Bluetooth option



Datavideo Code: 2400-5031 TP-650MKII

TP-650MKII ENG Prompter. W/O remote control Larger frame Glass and mount. Suitable for ENG type cameras Adjustable mount to hold Android & Apple tablets from 8" to 13" Tablet can also mounted under the lens for use with retro reflective light. REMOTE CONTROL NOT INLCLUDED Choose a Wired, wireless or Bluetooth option



**605 Euro** 575 USD

Datavideo Code: 2400-5060 **TP-700** 

ENG Teleprompter, 15.3" LCD Display running DV Prompter Plus for a complete ENG teleprompter solution. Powered from mains or V-Mount Battery. Miracast to multiple units or other displays or daisy chain multiple units either via HDMI In/Out or LAN connection (LAN requires hub).



**1625 Euro** 

Datavideo Code: 2400-5032 TP-800MKII

TP-800 Conference prompter full functioning and self supporting, ext. AC or Battery operated and working together with the new DVPrompter App.



1435 Euro

Datavideo Code: 2400-5070 **TP-900** 

PTZ Prompter, supports almost all PTZ cameras. By mounting the PTZ upside down it removes the operational limitations of a PTZ camera within a prompter, the PTZ has greater movement in the shots it can achieve. Can be mounted on lightweight tripod or lighting stand. Built in 15.3" LCD Display running DV Prompter Plus for complete PTZ teleprompter solution.



.625 Euro

Datavideo Code: 2400-5630 FS-30

USB Footswitch controller with non-contact photoelectric sensors for near silent operation.



Datavideo Code: 2400-5056 **WR-500** 

WR-500 universal Bluetooth Remote Control for Telepompter. Bluetooth 4.0 can be used also in wired mode. Suitable for Apple devices , most Android tablets & Smartphones



Datavideo Code: 2400-5090 LBK-1

Lookback monitor kit for use with MGB-5 webinar presentation system



945 Euro

LBK-2 Datavideo Code: 2400-5100

Look back kit for tripod mount. Ideal for monitors to be mounted directly under a camera. (VESA mount for 24"-32" monitors) To be used in conjunction with virtual studio or other live applications.



**89 Euro** 79 USD

HC-300 Datavideo Code: 2400-5012

HC-300 Water/Dust resistant High Impact Case includes Precut Diced Foam- Also suitable for TP-300 Ext. 430x380x154mm Int. 395x320x117mm with pick&pluck foam for use with other equipment



**105 Euro** 99 USD

HC-500 Datavideo Code: 2400-5009

HC-500 Water/Dust resistant High Impact Case includes Precut Diced Foam- Ext: 330 x 280 x 120 mm Int: 300 x 220 x 90 mm. Also suitable for TP-500 with pick&pluck foam for use with other equipment



**69 Euro** 59 USD

HC-600 Datavideo Code: 2400-5008

HC-600 Water/Dust resistant High Impact Case includes Precut Diced Foam- Also suitable for TP-650 Ext. 515x415x200mm Int. 485x355x186mm with pick&pluck foam for use with other equipment



.**15 Euro** 109 USD

HC-800 Datavideo Code: 2400-5007

HC-800 water/dust resistant High impact case. includes precut diced foam. Ext: 625x420x340mm int: 581x360x298 mm



**265 Euro** 249 USD

ITC-100 Datavideo Code: 2205-2000

Intercom/ talkback system (max. 8 ch). Includes base station, gooseneck mic. and light for base station, 4x ITC100 SL Belt Pack (see ITC-100 SL for more details)



1365 Euro

ITC-100SL

Additional Belt pack kit for ITC-100. Contains: 1x ITC-100SL Beltpack, 1x TD-3 tally light, 1x CB-7 1.2 M tally cable, 1x MC-1 Microphone headset, 1x CB-3 20 meter Intercom cable 1x CB-17



Datavideo Code: 2205-2010

Datavideo Code: 2205-2030

8 Channel IP Intercom system provides two-way, Full-duplex, supports 8-Way digital wired Intercom, PoC, Beltpack with robust and fast-connected network interface, Bi-colour tally light indicator, (set includes base station, gooseneck mic. and light for base station, 4x ITC-300SL Belt Pack (see ITC-300SL for more details)



**2235 Euro** 2129 USD

ITC-300SL

Datavideo Code: 2205-2035

Belt Pack for ITC-300 Intercom range with Call & Talk button, 3,5mm stereo jack for headset (listen/talk) and TD-3 Tally indicator via 3,5mm Jack, VR multifunction rotary switch



295 Euro

**VP-300R** 

Datavideo Code: 2205-2036

Extend ITC-300 cables to 200 meters The standard Ethernet cables between ITC-300 and ITC-300SL (beltpack) can reach up to 100 meters. VP-300R extends that distance to 200 meters whilst being a passive device



**155 Euro** 145 USD

MC-1

Datavideo Code: 2205-2013

Standard One Ear Headphone with mic. for ITC-100SL.



**3 Euro** 2 Eo

MC-2

Datavideo Code: 2205-2012

XLR Gooseneck microphone for ITC-100



79 Euro

LP-1

Datavideo Code: 2205-2011

XLR Gooseneck light for ITC-100



**59 LISD** 59 USD

TD-3

Datavideo Code: 2200-9848

Tally Light Bi color (Red/Green) Only in combination with ITC-100. Package contains; 4x TD-3; 4x CB-7 (GPI Cable); 4x Mounting straps (Set of 4)



**105 Euro** 

Intercom

Datavideo Code: 2205-2050 HP-1E

Heavy Duty Professional One Ear Headphone with microphone. HP-1E does have one 3,5 mm jack for Mic & Ear to fit into beltpack or ITC-100 base station



**105 Euro** 99 USD

HP-2A

Datavideo Code: 2205-2056

Heavy Duty Professional Two Ear Headphone with microphone. HP-2A does have one 3,5 mm jack for Mic & Ear to fit into beltpack or ITC-100 base station



**CB-17** 

Datavideo Code: 2205-2014

3,5 mm jack to Headphone / Mic adapter. To use a standard (non usb) Skype headset with microphone with ITC-100 SL Beltpack



6 Euro 5 USD

**CB-28** 

Datavideo Code: 2200-9896

SE-2800 Intercom/ Tally cable (Also for SE-2200)



**CB-59** 

Datavideo Code: 2200-9965

SE-700 & SE-1200 Intercom/ Tally cable



CG-250

Datavideo Code: 2400-1010

CG-250HD HD-SD Character generator software.



**575 Euro** 549 USD

CG-500

Datavideo Code: 2400-1060

CG-500 SD/HD Advanced TimeLine based CG for live / post production Real time graphic render, supports flexible play control of multiple playlists, realtime multi-layer play at the same time. WINDOWS ONLY compatible with Decklink Extreme 3D + card This is a broadcast-standard titling programme, with high class templates,IPTV to AV presentations external data support and GPUrendered effects



3150 Euro

CG/Virtual Studio

CG/Virtual Studio

Datavideo Code: 2800-0310

CG-500 HD/SD Live CG Turnkey system, fully configured and ready to go. Datavideo CG-500 software preloaded INCLUDING DONGLE fully configured in 2U rackmount PC and ready to go., 1 Year Warranty. Fitted with Blackmagic Decklink Extreme 4K





**7250 Euro** 6925 USD

TVS-1000A

Datavideo Code: 2210-3010

Trackless Virtual Studio System, Turn-key solution with; Easy to use Multi-language user interface with up to 3 screens preview/multiviewer/UI, Built in Character Generator, 2 Downstream keyers, 2 Clip players, still store and audio mixing, Internal recording, 1x HDMI input / output (no Tally control) with Aux input, Supports Adobe Flash encoder, Ustream and Livestream, PC including Software and RMC220.



7850 Euro

CG/Virtual Studio

Datavideo Code: 2210-3200 TVS-2000A

3D Camera tracking virtual studio set with HD-SDI I/O, Turn Key solution including: RMC-280 controller for switching, phase and camera control Aux board for presentations or other external footage, optional: PTC-150 Pan & Tilt camera with tracking feedback and bracket for talent preview



10400 Euro

CG/Virtual Studio

TVS-3000 Datavideo Code: 2210-3310

3D Tracking/Trackless VR/AR 4K Virtual Studio System (with tracker) 2x 6G-SDI & 1x 12G-SDI (UHD), 3x 3G-SDI Inputs (HD) | HDMI2.0 (UHD), 4x 3G-SDI & HDMI Outputs (HD), up to 8 Channels Chroma key, Recording lossless 4:2:2/H.264/H.265/MPEG-2(ts/mxf), Live Streaming (ts (udp/tcp), RTMP/RTMPS/RTSP). 'Turn-Key'



30600 Euro 29189 USD

CG/Virtual Studio

Datavideo Code: 2210-3300 TVS-3000X

3D Tracking/Trackless VR/AR 4K Virtual Studio System (without tracker) 2x 6G-SDI & 1x 12G-SDI (UHD), 3x 3G-SDI Inputs (HD) | HDMI2.0 (UHD), 4x 3G-SDI & HDMI Outputs (HD), up to 8 Channels Chroma key, Recording lossless 4:2:2/H.264/H.265/MPEG-2(ts/mxf), Live Streaming (ts (udp/tcp), RTMP/RTMPS/RTSP). 'Turn-Key'



29000 Euro 27649 USD

G/Virtual Studio

FT-901

Background stand for use with Reflection Fabric (Green/Blue screen) comprising 2x tripods and 1 cross bar

Datavideo Code: 2210-2050

Datavideo Code: 2210-3605

Maximum height 2.70 meter Maximum width 3.00 meter



**185 Euro** 

MAT-2

Green Color mat for Chroma Keying 1.8 meter \* 27 meter, 0,60mm



CG/Virtual Studio

CG/Virtual Studio

CG/Virtual Studio

CG/Virtual Studio

CG/Virtual Studio

CG/Virtual Studio

Datavideo Code: 2210-3615

Green Color mat for Chroma Keying 1.8 meter wide and XX meter long. This item can be ordered per meter.



**43 Euro** 39 USD

MAT-5 Datavideo Code: 2210-3606

Green Color mat for Chroma Keying 1.8 meter \* 54 meter, 0,35mm



**965 Euro** 879 USD

MAT-5M

Green Color mat for Chroma Keying 1.8 meter wide and XX meter long. This item can be ordered per meter.



**43 Euro** 39 USD

MAT-7

Datavideo Code: 2210-3607

Datavideo Code: 2210-3616

Blue Color mat for Chroma Keying 1.8 meter \* 54 meter, 0,35mm



**965 Euro** 879 USD

MAT-7M

Datavideo Code: 2210-3617

Blue Color mat for Chroma Keying 1.8 meter wide and XX meter long. This item can be ordered per meter.



43 Euro

CHF-3X4

Datavideo Code: 2210-3630

Green cotton Chromakey Fabric. Size 3 x 4 meter Washable



**39 Euro** 70 HSD

CHF-3x6

Datavideo Code: 2210-3631

Green cotton Chromakey fabric. Size 3 x 6 meter Washable



CG/Virtual Studio

**AD-10** 

Datavideo Code: 2205-1102

Audio delay processor, intended for mobile, ease to use of Audio & Video Synchronization, with a common 3.5mm audio input. Switchable between microphone +40dB, +20dB and audio line input, come with Condenser/Dynamic Microphone switchable, and audio gain control.

Datavideo Code: 2210-3620



**325 Euro** 299 USD

AD-200

Datavideo Code: 2205-1105

1U Audio mixer, level adjustment and audio delaybox. The matrix type audio mapping function allows combination of multiple audio input channels into one or more output channels. Up to 3 seconds audio delay is available to synchronize audio with video. 6 XLR audio channels input. Support 2 audio input modes, Mic and Line. 2 audio modes mono / stereo.



1085 Euro

AD-300

Datavideo Code: 2205-1106

The AD-300 is equipped with a wide range of input and output interfaces and sound processing functions to fulfill the needs of professional audio production. Processes sound delay, mixing, equalizer, compressor, limiter and other sound effects. Audio delay up to 3000ms



**865 Euro** 799 USD

TLM-102

Datavideo Code: 2100-0102

Datavideo Code: 2100-0150

Datavideo Code: 2100-0152

Dual 10.1" 4RU Rack mount monitors designed for broadcast quality,3G-SDI video and HDMI I/O, Support column (YRGB peak), time code, waveform, vectorscope & audio level meter, peaking, zoom, pix to pix, underscan, check field, etc. SDI, HDMI cross conversion, Color temperature for user to select



**1395 Euro** 1329 USD

**TLM-170F** 

Scopeview production monitor (17,3" HD Panel), both DCI 4096/60p and UHD 3840/60p with

WFM Vectorscope, HDR, False color, Histogram, Audio level meter, peaking focus assist, soom, pixel to pixel, time code and check fiels, 12G-SDI input with loop and 2x HDMI (4K/UHD) inputs with loop



**2095 Euro** 1999 USD

TLM-170FM

Scopeview 1U Foldable Racktray monitor (17,3" HD Panel), both DCI 4096/60p and UHD 3840/60p with WFM Vectorscope, HDR, False color, Histogram, Audio level meter, peaking focus assist, soom , pixel to pixel, time code and check fiels, 12G-SDI input with loop and 2x HDMI (4K/UHD) inputs with loop



**2565 Euro** 2449 USD Datavideo Code: 2100-0160

Datavideo Code: 2100-0162

Datavideo Code: 2100-0161

Datavideo Code: 2100-0193

Datavideo Code: 2100-0194

Datavideo Code: 2100-0195

Scopeview 7U Rackmount production monitor (17,3" HD Panel), both DCI 4096/60p and UHD 3840/60p with WFM Vectorscope, HDR, False color, Histogram, Audio level meter, peaking focus assist, soom , pixel to pixel, time code and check fiels, 12G-SDI input with loop and 2x HDMI (4K/UHD) inputs with loop



**2195 Euro** 2099 USD

**TLM-170K** 

Scopeview high end production monitor (17,3" UHD Panel), both DCI 4096/60p and UHD 3840/60p with WFM Vectorscope, HDR, False color, Histogram, Audio level meter, peaking focus assist, soom , pixel to pixel, time code and check fiels, 12G-SDI input with loop and 2x HDMI (4K/UHD) inputs with loop



2825 Euro 2699 USD

**TLM-170KM** 

Scopeview 1U Foldable Racktray, High end production monitor (17,3" UHD Panel), both DCI 4096/60p and UHD 3840/60p with WFM Vectorscope, HDR, False color, Histogram, Audio level meter, peaking focus assist, soom, pixel to pixel, time code and check fiels, 12G-SDI input with loop and 2x HDMI (4K/UHD) inputs with loop



**3250 Euro** 3149 USD

TLM-170KR

Scopeview 7U Rackmount, High end production monitor (17,3" UHD Panel), both DCI 4096/60p and UHD 3840/60p with WFM Vectorscope, HDR, False color, Histogram, Audio level meter, peaking focus assist, soom , pixel to pixel, time code and check fiels, 12G-SDI input with loop and 2x HDMI (4K/UHD) inputs with loop



2935 Euro 2799 USD

**TLM-170V** 

17,3" IPS panel Desktop monitor 1920x1080P Panel resolution. Support 3Gbps/HD/SD-SDI input with loop through & HDMI input. Supports embedded audio. Support column (YRGB peak), time code, waveform, vector scope & audio level meter, peaking focus assist, zoom, pix to pix, underscan, check field, etc



**1575 Euro** 1499 USD

**TLM-170VM** 

17,3" IPS panel 1U Foldable Racktray monitor 1920x1080P Panel resolution. Support 3Gbps/HD/ SD-SDI input with loop through & HDMI input. Supports embedded audio. Support column (YRGB peak), time code, waveform, vector scope & audio level meter, peaking focus assist, zoom, pix to pix, underscan, check field, etc



**2095 Euro** 1999 USD

TLM-170VR

17,3" IPS panel 7U Rackmount monitor 1920x1080P Panel resolution. Support 3Gbps/HD/SD-SDI input with loop through & HDMI input. Supports embedded audio. Support column (YRGB peak), time code, waveform, vector scope & audio level meter, peaking focus assist, zoom, pix to pix, underscan, check field, etc



Datavideo Code: 2100-0720

Datavideo Code: 2100-0706

Datavideo Code: 2000-2281

Datavideo Code: 2000-2282

Datavideo Code: 2000-2290

Datavideo Code: 2000-2291

Datavideo Code: 2000-2260

The TLM-700UHD features a 7" Full HD 1920 x 1200 resolution screen, supports up to DCI 4K and Ultra HD signals on input and output. It offers a 170° wide-viewing angle allows the operator to have a clear, easy-to-see image.



**315 Euro** 299 USD

**TLM-BAG** 

Bag for TLM-700UHD



**42 EUro** 39 IISD

DAC-8P 4K

The DAC-8P 4K Converter converts 12G-SDI in resolutions up to 4K50/60 to 4K HDMI, it is easy to connect the 4K HDMI signal devices and professional 12G-SDI video equipment. Featuring SDI input and both an SDI and HDMI output, audio is de-embedded from the SDI input, and available in the HDMI output and analog audio output.



**595 Euro** 549 USD

DAC-8PA

HD/SD-SDI to HDMI converter & audio de-embedding



235 EUro

DAC-9P

HDMI HD-Video to HD/SD-SDI Converter (1080P) also embeds audio from HDMI signal into HD-SDI signal. Supported input formats: 480i, 576i, 720P50/ 59,94/ 60, 1080i50/ 59,94/ 60 and 1080P50/ 59,94/ 60



329 LISD

DAC-9P 4K

HDMI to SDI converter supports up to DCI 4K (4096 x 2160) and UHD 4K (3840 x 2160) HDMI 2.0 in & loop, 2x 12G-SDI out. Support Re-Clocking and 2-channel RCA analog audio input



549 ISD

DAC-60

HD/ SD-SDI to VGA converter. Supported HD input formats: 720P50/ 60, 1080i50/ 60 and 1080P24/ 25/ 30/ 50/60 Supported SD input formats: 525i (NTSC) and 625i (PAL) Supported VGA output formats (all at 60Hz): 800x600, 1024x768, 1280x800, 1280x1024, 1366x 768, 1400x1050, 1600x1200, 1920x1080, 1920x1200 (Firmware version V0.1.1.0 required)



l.**5 Euro** 79 USD

3

S Euro

**595 Euro** 549 USD

DAC-45

Datavideo Code: 2000-2220

Datavideo Code: 2000-2270

4K Up/Down/Cross converter. It allows instant switching between 4K, HD and SD video formats. HDMI 2.0 input/output with 4:2:2 processing Supports 3G-SDI Level A/B. Reference input BB and Tri Level Sync. 4K Up scaling and frame rate conversion

Multi format up /down /cross converter "Many formats in (auto detect ) to many formats out (by dipswitch selection)" Input connectors: VGA (up to 1600x1200), HDMI-video , (HD-)SDI and RCA audio. Output connectors: HDMI and 2x (HD) SDI. Video output formats: 480/576i, 720P50/59,94/60, 1080i50/ 59,94/60, 1080P23,98/24/25/50/60 The DAC-70 supports HDCP for

HDMI input. Supports multi-channel audio (SDI / HDMI 8 ch audio embedded)



**1005 Euro** 929 USD

**DAC-80** 

Datavideo Code: 2000-2288

DAC-80 / 2 Channel Audio 1:1 transformer High quality ground loop isolator (with ground lift) to avoid audio hum XLR in / out



**125 Euro** 

**DAC-90** 

Datavideo Code: 2000-2300

3Gbps/HD/SD-SDI Audio de-embedder, 4 Analog mini XLR audio outputs. Each set of channels can be selected with the dipswitches (selection of group 1-4) Incl. 2 mini XLR 'pigtails'



329 USD

**DAC-91** 

Datavideo Code: 2000-2310

3Gbps/HD/SD Analogue audio embedder, embedding 2 channels of analog audio into SDI video signal. Automatically detects 3G,HD SDI signal. 2 analog inputs ( Mini XLR or RCA x2) Audio level indicator display. Audio level adjustment and control via DIP switches. Including 2 mini XLR 'pigtails'



**105 EUro** 369 USD

RMK-1

Datavideo Code: 2200-2510

Rack Mount Kit for one or two 1U height products, such as VSM -150 Vector scope Half 19 inch rack mount unit: 2 x Rack Ear 1x Rack Panel (1U) 4x M4\*8 screw Note: Not suitable for AD-100!



**59 EUrc** 49 USD

RMK-2

Datavideo Code: 2200-2550

19" 2 U rack mount holder for up to 8 x DAC Converters. Mounts up to 8 datavideo converters in a single 2U rackframe. Single power Connection Suitable for DAC-8(p), DAC-9(p) DAC-60 , DAC-70



controlled by A/B switch or GPI Remote

Datavideo Code: 2332-2100

Datavideo Code: 2300-0597

3G/HD/SD SDI Active Signal Repeater. Powered to provide power to VP-634 with re-clocking function. (Supports up to 3 passive repeaters, VP-634)

1 Input/ 6 Outputs 3G HD/SD SDI Distribution Amplifier. Two input video source selection can be



**VP-634** 

Datavideo Code: 2332-2200

Datavideo Code: 2332-2300

3G/HD/SD SDI Passive Signal Repeater (Needs a VP-633 to operate) Provides SDI re-clocking function.



**315 Euro** 299 USD

**VP-737** 

Composite video repeater & transmitter (set of ) wired composite transmission as far as 200 meters. Cat5e extension design make use of existing Cat5e or better wiring infrastructure.



**VP-840** 

Datavideo Code: 2200-0840

The datavideo VP-840 is a HDMI 1x4 Distribution Amplifier featuring the capability to repeat HDMI source to 4 displays simultaneously, VP-840 supports data rate up to 18Gpbs and resolutions of 4K2K@60Hz, compliance with HDMI 2.0 and HDCP 2.2. The VP-840 features EDID management which provides multiple EDID options for various resolutions output between all devices, ensuring the HDMI source reliably outputs the correct content for the display



**225 Euro** 

**VP-901** 

Datavideo Code: 2300-0901

1 input to 8 outputs 12G/6G/3G/HD/SD-SDI Distribution Amplifier with equalization and reclocking. Auto detect input



**415 Euro** 

**VP-929** 

Datavideo Code: 2300-0929

The VP-929 is the perfect solution for extending HDMI 4K signal over HDMI cable, it is capable of supporting 4K/UHD resolutions up to 4096 x 2160 or 3840 x 2160 at 60Hz with 4:4:4 (up to 18 Gbps bandwidth) at extension distances up to 20 meters input and output



Datavideo Code: 2205-1020

Datavideo Code: 2205-1040

Datavideo Code: 2205-1061

Datavideo Code: 2200-9970

Datavideo Code: 2200-9971

Datavideo Code: 2200-9972

Datavideo Code: 2200-9853

PD-2A Power Distributor providing 400 Watt rated power supply to cover most power requirements.



1155 Euro

PD-4A

19 inch rackmount Redundant Power Center. PD-4A Center is specifically designed to provide a steady power supply for datavideo mobile studio applications. It provides a 300 watt rated power supply to cover most power requirements for a mobile studio, such as a video switcher, LCD monitors, video recorders, talk back system, and so on. It comes with a standard 19"/1U rack size design, the PD-4 makes system integration professional and reliable. With two AC power supplies, the PD-4 will still supply energy to your devices, even if one power source fails



1845 Euro

PD-6A

PD-6A is a 19" rack mountable universal AC to DC power distribution center. Designed to supply steady and sequenced voltage for production kit whilst on location or in your studio. The PD-6A supplies a steady 48 volt. Related products for 48V are:

DC/DC converter DDC-4012H code 2600-3011 CB-22 H cable 30 mtr. Code 2200-9882

CB-23 H Cable 50 mtr. Code 2200-9883



**1445 Euro** 1379 USD

CB-60

HDMI Active Optical Cable with High performance. 30 meter. Can transmit 4K@60Hz UHD up to more than 30 mtr. Support HDMI 2.0, Support HDCP 2.2. Plug and Play. Highly resistant with EMI and RFI. No external power needed.



**125 EUro** 409 USD

**CB-61** 

HDMI Active Optical Cable with High performance. 50 meter. Can transmit 4K@60Hz UHD up to more than 50 mtr. Support HDMI 2.0, Support HDCP 2.2. Plug and Play. Highly resistant with EMI and RFI. No external power needed.



529 USD

**CB-62** 

HDMI Active Optical Cable with High performance. 100 meter. Can transmit 4K@60Hz UHD up to more than 100 mtr. Support HDMI 2.0, Support HDCP 2.2. Plug and Play. Highly resistant with EMI and RFI. No external power needed.



SUS EURO

CB-3

20m Intercom extension Cable 5 pin XLR connector for use in combination with ITC-100SL. Max. 200 mtr.



**59 Euro** 55 USD

Cables

Datavideo Code: 2200-9854

Datavideo Code: 2200-9883

50m Intercom extension Cable 5 pin XLR connector for use in combination with ITC-100SL max.



**125 Euro** 

**CB-22H** 

Datavideo Code: 2200-9882

All-in One features: 1x 4 pin XLR power cable, 1x5 pin XLR Intercom, 1x BNC for Video, 1x BNC

for return Length: 30 meter Related products for 48V are: PD-6 PowerCenter (2205-1060)

DC/DC converter DDC-4012H (2600-3011)

VP-605H heavy duty cable extender (2332-2010)



**CB-23H** 

All-in One features: 1x 4 pin XLR power cable, 1x5 pin XLR Intercom, 1x BNC for Video, 1x BNC

for return Length: 50 meter Related products for 48V are: PD-6 PowerCenter (2205-1060)

DC/DC converter DDC-4012H (2600-3011)

VP-605H heavy duty cable extender (2332-2010)



**465 Euro** 429 USD

**CB-30** Datavideo Code: 2200-9898

All-in One Cable 30 meter: 1x HD/ SD SDI, 1x Cvbs for return video 2x RJ45 connector



**CB-31** 

Datavideo Code: 2200-9899

All-in One Cable 50 meter: 1x HD/ SD SDI, 1x cvbs for return video 2x RJ45 connector



**CB-47** 

Datavideo Code: 2200-9909

Datavideo Code: 2200-9913

All-in One Cable L:50 Mtr. HD-SDI. For HS series switcher. The cable includes SDI, intercom and Tally cable.



**CB-68** 

CB-67 is designed for SE-3200 video switcher and ITC-300 intercom system, and capable of transmitting the 3G/HD/SD-SDI 1080p video, audio and digital intercom signals at the same time. (70m)



895 Euro

Replacement Glass for TL-100

Datavideo Code: 2400-5611

**43 Euro** 39 USD

TP-300GLS

Glass replacement for TP-200/300

Datavideo Code: 2400-5014



TP-500GLS

Glass replacement for TP-500

Datavideo Code: 2400-5045



**89 Euro** 79 USD

TP-650GLS

Glass replacement for TP-650

Datavideo Code: 2400-5035



**TP-650MKIIGLS** 

Glass replacement for TP-650MKII

Datavideo Code: 2400-5036



**155 Euro** 145 USD

**TP-700GLS** 

Glass replacement for TP-700

Datavideo Code: 2400-5061



**155 Euro** 145 USD

TP-800GLS

Glass replacement for TP-800

Datavideo Code: 2400-5033



Glass replacement for TP-900

Datavideo Code: 2400-5071



**165 Euro** 149 USD

Datavideo Code: 6300-2230 **PSU-HSE** 

Power Supply 12 Volt, 10 Ampére with XLR (4P) to be used with HS/SE-systems



**PSU-HST** Datavideo Code: 6300-1500

Power Supply 56 Volt, 4,46 Ampére with XLR (4P) to be used with HS-1500/1600T



**135 Euro** 127,5 USD

Datavideo Code: 6300-1505 **PSU-HBT** 

Power Supply 48 Volt, 1 Ampére to be used with HBT-11



Datavideo Code: 6300-2210 **PSU-GEN** 

Power Supply (Block) 12 Volt, 2 Ampére commonly used for converters/monitors/small switchers



### TERMS AND CONDITIONS

### 1. Definitions

In these terms and conditions **Seller** means Datavideo Technologies Europe BV; **Terms** means the terms and conditions here set out (and any special terms agreed in writing by Seller); **Customer** means any person, firm or company (whether incorporated or unincorporated) buying or agreeing to buy Product(s) from Seller; **Product(s)** means the goods supplied by Seller or services rendered to Customer and subject to these Terms; **Price** means the stated price for the Product(s) and excludes carriage, packing, insurance and VAT; **Order** means an order placed by Customer with Seller for the Product(s). **Any document in writing** that is required can be delivered either on paper or in electronic form. **Delivery** (**Date**) means the date the Products leave Seller's warehouse, specified in writing by Seller for delivery of the Products to Customer.

- 2. Conditions applicable
- 2.1. These Terms apply to any sale or offer and other services rendered to Customer, to the exclusion of all other terms (including any which Customer may purport to apply under any purchase order, confirmation of order or any similar document). These Terms constitute a binding contract between Customer and Seller. These Terms are subject to change without prior notice. No variation of these Terms (including any special conditions) shall apply unless agreed in writing by Seller.
- 2.2. Any typographical, clerical or other error or omission in any sales literature, web page, quotation, price list, acceptance of offer, invoice or other document or information issued by Seller shall be subject to correction without any liability on the part of Seller.
- 2.3. If any provision of these conditions is adjudged invalid or unenforceable in whole or in part the validity of the other provisions of these terms and the remainder of those provisions in question shall not be affected.
- 3. Orders and offers
- 3.1. An Order shall be deemed an offer by Customer to purchase Product(s) upon the Terms. Acceptance of delivery of the Product(s) (as determined in accordance with clause 10.1 below) shall be conclusive evidence of Customer's acceptance of the Terms.
- 3.2. All offers by Seller apply for 30 days after issuing, unless otherwise mentioning in the offer in question. Customer is free to accept or refuse the offer.
- 3.3. After Customer accepted the offer, Seller is free to reject acceptance within 2 business days after receiving acceptance.
- 3.4. In case, after reaching an agreement, however before or during execution hereof, circumstances occur, which are beyond Seller's reasonable control, result in increase of prices, Seller is entitled to change his prices. Customer on the other hand is entitled, in case of an increase of prices to dissolve the agreement within 14 business days after announcement hereof. Any event of any increase in the cost to Seller of raw materials, labour, overheads, or any increase in taxes or duties, or any variation in exchange rate Seller may increase the price payable under the contract upon written notice. Seller shall be entitled to cancel this contract at any time prior to delivery of the Product(s) by giving written notice to Customer and promptly repaying to Customer any sums already paid by Customer and shall not be liable for any loss or damagers arising from such cancellation.
- 3.5. Changes of orders or agreements have to be made in writing and in due time, and are only applicable after Seller's acceptance in writing. It is up to Seller's decision whether a change has been made in due time.
- 4. Security and deposit
- 4.1. It is at Seller's liberty to demand security from Customer at any time before or during execution of the agreement.
- 4.2. It is at Seller's liberty to demand a deposit or payment in full at any time before or during execution of the agreement.
- 5. Prices and Payment terms
- 5.1. Pricing of Products shall be the price current at the moment the Products are leaving our warehouse.
- 5.2. Where applicable, VAT shall be due on the Price at the rate ruling the date of Seller's invoice. Payment of the Price, carriage, packing and VAT is due within the number of days stated on the invoice or Pro Forma invoice if different and for the purpose of these terms the time of payments shall be of the essence.
- 5.3. In the event that Customer fails to pay on the due date, Customer will be considered in default of right and Seller may charge interest on any overdue invoice without prior notice and will accrue from the date when payment is due until the date of actual payment at the rate of 1,5% per month.
- 5.4. In the event that Customer fails to make any payment on the due date, or in the event the credit has been exceeded then Seller may (without prejudice to any of its other rights) suspend or cancel delivery of any Product(s) to Customer. The cost of recovering any overdue accounts shall be paid to Seller by Customer; costs will be 15% of the open invoices with minimum of €500,00 / US\$ 600,00.
- 5.5. All accounts are payable to the address stated on our invoice. Payments made by electronic means can be made directly to the following accounts:

ING Bank Euro Account: 69.34.35.259 IBAN Nr: NL76INGB0693435259

Maliebaan 8, Utrecht US Dollar Account: 02.17.51.803 IBAN Nr.: NL96INGB0021751803

Swift code INGBNL2A

- 5.6. Payments made by Customer firstly apply to interest and costs due, further invoices first issued, even so if Customer mentions that payment is for later issued invoices. Customer may not withhold payment of any invoice or other amount due to Seller whether by reason of any alleged right of set-off or counterclaim or otherwise.
- 5.7. Our price lists do not imply any offers.
- 5.8. All shipments are being charged with actual shipping costs (unless Customer provides shipping himself).
- 5.9. All shipments with an invoice amount of less than € 500,00 / US\$ 500,00 (excl. VAT) will be charged with administration costs of € 50,00 / US\$ 50,00.
- 5.10. Registered mail, cash on delivery, express mail or other special deliveries are being charged with extra costs.
- 6. Delivery
- 6.1. Seller will endeavor to deliver the Products to Customer's stated address for delivery on the Delivery Date, but may deliver the Products in advance of the Delivery Date upon the giving reasonable notice to Customer of its intention to do so. Without prejudice to the foregoing, Customer shall take delivery of the Products whenever and wherever the Products are tendered for delivery.
- 6.2. Any dates quoted by Seller for the delivery of Product(s) are estimates only and shall not form part of the contract. Seller aims to deliver promptly, however delays are occasionally inevitable due to unforeseen factors. Seller shall be under no liability for any delay or failure to deliver the Product(s) within the estimated delivery time, unless a certain date was explicitly agreed to in writing.
- 7. Retention
- 7.1. The Products shall be at Customer's risk as from leaving our warehouse. Notwithstanding that delivery may have been made properly, property in and title to Products shall not pass to Customer until Customer shall have paid the Price plus VAT, delivery and shipping in full, no other sums whatsoever shall be outstanding and owed by Customer to Seller. If Customer fails to make any payment on its due date then, without prejudice to Seller's other rights and remedies under these Terms, Seller may appropriate any payment made by Customer to such Products (or other products supplied by Seller to Customer under any other contract) as Seller may in its sole discretion think fit. Until property and title in the Products passes to Customer in accordance with this clause, (a) Customer shall hold the Product(s) and each of them on a fiduciary basis as bailee for Seller, (b) Customer shall store the Product(s) (at no cost to Seller) separately from all other goods in its possession and marked in such a way that they are clearly identified as Seller's property.
- 7.2. Notwithstanding that the Product(s) remain the property of Seller, Customer may sell or use the Product(s) in the ordinary course of Customer's business at full market value for the account of Seller. Such sale or dealing shall be a sale or use of Seller's property by Customer or on Customer's own behalf and Customer shall deal as principal when making such sales or dealings.
- 7.3. Until property in the Product(s) passes from Seller, Customer shall not in any way pledge or charge by way of any security for any indebtedness of Customer any of the Product(s) which are property of Seller (and if Customer should do so, then without prejudice to any other rights of Seller, all sums whatsoever due and owing to Seller by Customer shall forthwith become due and payable.
- 7.4. Until property in the Product(s) passes from Seller, Customer shall upon request deliver up to Seller such of Product(s) as have not ceased to be in existence or been resold, and if Customer fails to do so then Seller may enter upon any premises owned, occupied or controlled by Customer where such Product(s) are situated and repossess such Product(s).
- 8.1. Pictures showing the Product(s), drawings, measurements, weights, technical specifications, colors either in our website, brochures or price lists may not be identical to the Product(s) as shipped to the Customer.
- 8.2. Deviation cannot be accepted as reason for dissolution or compensation, provided a special arrangement in writing has been agreed to.

- 9. Transport and insurance
- 9.1. Seller will use its discretion in selecting a reputable carrier and appropriate means of delivery. Customer use a carrier of his choice. In both cases the risk will pass to Customer from the moment the Product(s) leave Seller's warehouse.
- 9.2. Transport of any Product(s) with destination in the Netherlands will be insured by Seller for loss, damage or theft during transport. Any risk will pass to Customer from the moment the Product(s) are delivered at the delivery address of Customer's choice.
- 9.3. Transport of any Product(s) beyond the Netherland's border will not be insured by Seller for loss, damage or theft during transport. Any risk will pass to Customer from the moment the Product(s) leave Seller's warehouse.
- 9.4. In the event of loss, damage or theft of the shipment within the Netherlands an official report has to be formatted by the shipping agent. Customer has to send this report within 3 business days by registered mail.
- 10. Complaints
- 10.1. Within 8 business days of delivery Customer must notify Seller in writing of any alleged defect, shortage in quantity, damage or failure to comply with description of the Products and also (if so required by Seller) return the Products within 7 days of delivery and before any use of them. In the absence of any such notification Customer will be deemed to have accepted the Products and thereafter shall not be entitled to reject the Products, any part of them, as not in accordance with the contract.
- 10.2. Any request for RMA (Return Material Authorization) shall be filed by mail: service@datavideo.nl, showing order ID, invoice number, product code, serial number and description of complaint.
- 10.3. Customer shall be responsible for the cost of safe and secure transport of the defective or damaged Products to Seller and is only permitted after written permission from Seller
- 10.4. Except for transit damage, the Product(s) have to be returned unused, in their original packaging within eight days and according Seller's specifications.
- 10.5. Any credit refund will be made based on the Price charged to Customer, but will never exceed the Price at the moment of returning the Product(s) to Seller.
- 11 Warranting
- 11.1. Seller warrants that Product(s) will be free from defects in materials and workmanship occurring within the warranty periods mentioned in clause 11.5, unless damages occur due to a fact mentioned in clause 11.2 or 11.3.
- 11.2. Seller warrants that the Products will, at the time of delivery, correspond to their description. All other warranties, conditions or terms relating to fitness for purpose, quality or condition of the Products, whether express or implied by statute or common law are excluded to the fullest extent permitted by law.
- 11.3. In case of malfunctioning of a Product within the period mentioned in clause 11.5 Seller will do everything, within reason, to solve the problem within reasonable period of time. Seller does not warrant damages occurring because of incorrect installation, use, changes of repairs made by any unrecognized party.
- 11.4. Seller shall at its own expense and within a reasonable time of receiving those Product(s) investigate Customer's claim and Seller may repair or at his option either, replace the Product(s) or such parts of the Product(s) as are defective, or credit Customer for the return of the Product(s). In no circumstances will Seller be responsible for any other damages whatsoever.
- 11.5. The warranty period will last 12 months after delivery date, unless damages occur due to facts mentioned in clause. 11.3. Customer can extend this warranty period up to 24 months from delivery by registration of these Product(s) at Datavideo website: www.datavideo.info.
- 11.6. The warranty period of repairs and parts however are limited to 6 months.
- 12. Liability

In any event and despite anything contained in these Terms, in no circumstances, shall Seller be liable in contract, tort (including negligence or breach of statutory duties) or otherwise howsoever, and whatever the cause thereof, for any increase costs or expenses for any loss of profit, business contracts, revenues or anticipated savings, or for any special indirect or consequential damage of any nature whatsoever.

13. Packing

Seller's Products may only be resold in the original packing, the trademarks, numbers or remarks may not be hidden, deleted.

- 14. Force majeure
- 14.1. The Delivery Date will be postponed with the period in which Seller is delayed or hindered to perform because of force majeure.
- 14.2. Force majeure means that Seller is unable or hindered in or delayed in obtaining or delivering the Product(s) by normal routes or means of delivery through circumstances beyond its control including but not limited to strikes, lock outs, accidents, war fire, reduction in or unavailability of power at Seller's premises.
- 14.3. In the event of force majeure delivery is being delayed for more than 2 months, both Seller and Customer are allowed to consider the contract withdrawn. In that case Seller is only entitled to reimbursement of costs.
- 14.4. In the event that force majeure commences at the moment Seller has performed partially, Customer is entitled, in case conclusion of the contract is delayed for more than two months for this force majeure, to keep the delivered Product(s) and pay these. In the event Customer can prove he cannot use the partial delivery, he also may consider the contract (completely) withdrawn with the obligation of returning the delivered Product(s) for his account.
- 15. Dissolution
- 15.1. In the event Customer becomes insolvent, is unable to pay his debts when due, files for bankruptcy, is subject of involuntary bankruptcy, has a receiver appointed, or has its assets assigned, Seller may dissolve the agreement without judicial intervention, unless the receiver acknowledges the obligations arising from this contract as a debt of estate.
- 15.2. All claims for either party become due and payable at the moment of dissolution. Customer will be liable for all damages including but not limited to loss of profit and costs of transport.
- 16. Confidentiality

Seller may transfer your details to our bank or third parties for the purposes of providing credit insurance, making credit reference agency searches, credit control, assessment and analysis, securitization and to protect our interests. The identity of our bank or third parties and that of any credit reference agencies used by us will be readily available on demand.

17. General

Seller shall be entitled to assign its rights and/or obligations under these Terms by giving written notice of such assignment to Customer.

18. Applicable law

These Terms are subject to the law of the Netherlands and shall be within the exclusive jurisdiction of the courts in the Netherlands.

Utrecht, September 2010



## **Datavideo Technologies Europe BV**

Floridadreef 106 3565 AM Utrecht the Netherlands Tel: +31302619656 info@datavideo.nl www.datavideo.com